Clegrand[®]


Bticino S.p.A. Viale Borri, 231 – 21100 Varese (VA) – ITALY www.bticino.com – www.legrand.com

SUMMARY

PN flexible conduits

Item codes : from 387489 to 387499 and from 387712 to 387718

PAGES




1. Description and applications 2. Dimensions and compatibility 3. Technical features 4. Environmental profile 2. Conformity and approvals

1. DESCRIPTION AND APPLICATIONS

Galvanized steel flexible conduit with single hamming structure covered with plain PVC. Suitable for most static or dynamic applications it has a good flexibility and very good mechanical and thermal performances. It ensures the protection of cable and guarantees the insulation of electrical connections. It's the ideal solution for energy, signal or power distribution in most environments.

2. DIMENSIONS AND COMPATIBILITY

Dimensions and packaging:



| ltem GREY | Nominal diameter | Internal diameter [mm] | External diameter [mm] | Curvature radius* [mm] | Pack [m] |
|--------------|---------------------|------------------------------|------------------------------|------------------------------|-------------|
| 387489 | 8 | 8,0 | 13,0 | 80 | 50 |
| 387490 | 10 | 10,0 | 15,5 | 100 | 50 |
| 387491 | 12 | 12,0 | 18,0 | 120 | 50 |
| 387492 | 16 | 15,5 | 21,5 | 160 | 50 |
| 387493 | 21 | 20,5 | 27,0 | 210 | 25 |
| 387494 | 27 | 26,5 | 34,0 | 270 | 25 |
| 387495 | 35 | 34,5 | 42,5 | 350 | 25 |
| 387496 | 40 | 39,5 | 48,5 | 400 | 25 |
| 387497 | 51 | 50,5 | 61,0 | 520 | 25 |

* Approximate value: for more information contact Legrand technical offices

| ltem BLACK | Nominal diameter | Internal diameter [mm] | External diameter [mm] | Curvature radius* [mm] | Pack [m] |
|---------------|---------------------|------------------------------|------------------------------|------------------------------|-------------|
| 387498 | 8 | 8,0 | 13,0 | 80 | 50 |
| 387499 | 10 | 10,0 | 15,5 | 100 | 50 |
| 387712 | 12 | 12,0 | 18,0 | 120 | 50 |
| 387713 | 16 | 15,5 | 21,5 | 160 | 50 |
| 387714 | 21 | 20,5 | 27,0 | 210 | 25 |
| 387715 | 27 | 26,5 | 34,0 | 270 | 25 |
| 387716 | 35 | 34,5 | 42,5 | 350 | 25 |
| 387717 | 40 | 39,5 | 48,5 | 400 | 25 |
| 387718 | 51 | 50,5 | 61,0 | 520 | 25 |


* Approximate value: for more information contact Legrand technical offices

Compatibility:

Connectors, fittings and accessories 200METAL series, kit SILOK, metal accessories and equipments.







3. TECHNICAL FEATURES

Raw material:

3

Hot-dip galvanized steel (Fe P01-P02) pliable conduit covered with plain PVC.

3

IEC 61386 classification:





Technical data sheet IDP000038/02

Updated: 11st November 2015


Created: 25th November 2014

PN flexible conduits

| 1 st | 0 | 2 nd | | 3 rd | 4 th |
|--------------------------|--------|---------------------|-------|---|--|
| Resistance compressio | | Resistance to shock | , | Maximum installation and normal use temperature | Minimum transport, installation and normal use temperature |
| 1 = very slight | 125 N | 1 = very slight | 0.5 J | 1 = +5 °C | 1 = +60 °C |
| 2 = slight | 320 N | 2 = slight | 1 J | 2 = -5 °C | $2 = +90 ^{\circ}C$ $3 = +105 ^{\circ}C$ |
| 3 = medium | 750 N | 3 = medium | 2 J | 3 = -15 °C | 4 = +120 °C |
| 4 = strong | 1250 N | 4 = strong | 6 J | 4 = -25 °C | 5 = +150 °C |
| 5 = very strong | 4000 N | 5 = very strong | 20 J | 5 = -45 °C | 6 = +250 °C 7 = +400 °C |

Resistance to UV rays:

Represents the resistance to the degradation of mechanical performance caused by exposure to UV radiation contained in sunlight. All RTA conduit systems have been subjected to the Q.U.V. test which, with exposure cycles of 4+4 hours, simulates the continued alternation of light and condensation. The conduits of LGP series are not recommended for long exposition to UV radiation even if they have a good resistance to UV rays: all PN conduits are indicated for internal uses or covered uses.




Resistance to chemical agents:

Represents the resistance to chemicals or external agents. The used test method consist of: immersion of the items under test in the chemical substance for 24 hours; once they were dried and conditioned at a constant temperature for other 24 hours, they were checked with the following examinations:

- Visual inspection to check the integrity
- Mechanical bending test
- Mechanical compression test
- IP protection test

| Industrial chemical agents | Resistance* |
|----------------------------|-------------|
| Unleaded petrol | • |
| Industrial detergent | • |
| Diesel fuel | • |
| Lubricant oil | • |
| Emulsifier solution | • |
| Washing solvent | • |

 resistances to chemicals are indicative. For any specific application or environment please contact Legrand technical offices



- Medium resistance
- No resistance

Operating temperature:

Minimum: -15° C / +5° F Maximum: +60° C / +140° F

Self-extinguishing:


Does not propagate flames in according to IEC 61386.

Electric properties:

Electric continuity guaranteed.

IP protection index:


IP65 with 2000METAL series connectors.





Conduit structure:

Single hemming structure.



4. ENVIRONMENTAL PROFILE

All the items identified in this technical sheet respect in terms of concentration of substances and raw materials the European legislations about dangerous and forbidden substances and chemical preparations.

5. CONFORMITY AND APPROVALS



All the items identified in this technical sheet are compliant to all the requirements and the regulations currently in force in the European Union about safety, health and environmental issues.



PN flexible conduits



IMQ mark: items from 387490 to 387497, 387499 and from 387712 to 387718.



UL Recognized mark: items from 387490 to 387497, 387499 and from 387712 to 387718.



RINA mark: items from 387490 to 387497, 387499 and from 387712 to 387718.

For technical documentation, test reports, commercial information or any other needs please refer to the local LEGRAND office.

Updated: 11st November 2015

