NEW SOLUTIONS

FOR CONNECTING, (RE)CHARGING, **ORGANISING** 冦

--> CATALOGUE PAGES INSIDE







NEW SOLUTIONS FOR

CONNECTION

Multiple uses, for multiple benefits. Regardless of what you are doing and how much space is available, Legrand multi-outlet products offer you peace of mind and make your life more efficient.

Practical, ingenious and attractive, a solution is always at your fingertips.



























₱ www.legrand.com -

CONTENTS

UNIVERSAL SOLUTIONS

Connect everything simply with double, triple and multi-outlet adapters	02
(Re)charge, protect, orient with rotating multi-outlet extensions	06
SOLUTIONS FOR DEDICATED SPACES	
Angled multi-outlet extension	10
Multi-outlet extension with integrated stand	12
Multi-outlet extension for TV area	14
Clip-on multi-outlet extension	16
Charging station	18
CATALOGUE PAGES	20




















DOUBLE ADAPTER

WITH EXTRA-SLIM

USB CHARGER



FRONT-ACCESS **DOUBLE ADAPTER** AND TRIPLE **ADAPTER**

With double and triple

your devices.

CHARACTERISTICS

 $2 t_0 3$

2P+E sockets

White/Light grey

Black/Dark grey

devices into.

adapters, you've always got

a spare socket to plug your




The side-access triple adapter is the ideal solution for plugging in devices in tight spaces.

SIDE-ACCESS

TRIPLE ADAPTER





easy to use on a daily basis.



CHARACTERISTICS







White/Dark grey Aluminium/Dark grey




> Go to selection chart on p. 20

ROTATING TRIPLE ADAPTER



Thanks to its rotating body, the rotating triple adapter is



(†) It also has a stand for a smartphone and a storage system for the end of the cord.



CHARACTERISTICS



2 2P+E sockets




Rotating body



White/Dark grey Aluminium/Dark grey

CHARACTERISTICS












Create multiple socket outlets


Efficient day-to-day solutions for all your interior connections.




A high-quality minimalist design. Legrand multi-outlet extension have an attractive rounded shape.



The multi-outlet extension comes in three finishes so it can blend in seamlessly in your working environment or leisure areas.







> Go to selection chart on p. 20

MULTI-OUTLET SOLUTIONS





The multi-outlet extension

that delivers even more...


A design from Legrand to further simplify all types of use!






A unique ingenious cylindrical design for greater convenience. With its rotating socket block, you can orient the socket outlets to suit your needs.

You can fix the multi-outlet extension horizontally or vertically using screws or cable ties according to your preference.









With the Legrand Flush socket, you have a safe, attractive socket which prevents dust from accumulating. The socket recess only moves back when a plug is inserted.



> Go to selection chart on p. 21

















... with functions that meet all your needs


In addition to their cylindrical design and Flush sockets, you can also plug in your USB Type-A or USB Type-C mobile devices. Functions such as surge protection, load indication and a built-in circuit breaker guarantee you peace of mind regardless of the types of use.



The rotating multi-outlet extension can be used to plug in all your devices. USB Type-A and USB Type-C chargers are incorporated on the front for all your mobile devices, while allowing the sockets to still be used.



The rotating multi-outlet overvoltages.



Overload circuit breaker for protection against risks of overheating. The load indicator increases safety with its display of the power consumption.

The unit is disconnected if its maximum power is exceeded. It can be reset after unplugging one or more devices.

CHARACTERISTICS



Illuminated ON/OFF



1809 Rotating body



3 m cable



OPTIONAL



Surge protection with LED indicator



USB Type-A USB Type-C



(Load indicator



Resettable integrated circuit breaker

extension is also available in a version equipped with an surge protection with indicator to protect your devices against

> Go to selection chart on p. 21

DETAILS THAT MAKE A DIFFERENCE

BEDROOM

LIVING ROOM

OFFICE









at an angle

Install it wherever you want and enjoy the satisfaction of a well-organised work surface.








The angled multi-outlet extension is designed to fit in seamlessly on your work surface or in an office. Your work surface is always optimised.



Can be fixed horizontally or vertically, to keep your work surface clear.



The angled multi-outlet extension can be fixed with screws or double-sided tape. The cable feedthrough located at the back allows you to run the cable to the right or left to suit

CHARACTERISTICS WHITE/ALUMINIUM **VERSION**



3 Flush 2P+E sockets



USB Type-A USB Type-C Without cord

1 m cable

WHITE VERSION




4 Flush 2P+E sockets



Without cord























A dual-purpose

multi-outlet extension

for your kitchen area

CHARACTERISTICS



3 2P+E sockets













1.5 m cable

Do you love to cook and use your tablet to follow a recipe, listen to music etc? The multi-outlet extension with stand allows you to plug in all your electrical and mobile equipment, while providing an ergonomic stand for your tablet or smartphone.



The multi-outlet extension with integrated tablet stand is the ideal companion for plugging in up to three 2P+E sockets and two USB Type-A sockets while preparing delicious dishes using your tablet or smartphone.




The multi-outlet extension has an ON/OFF main switch with 16 A circuit breaker to protect your devices if its maximum power is exceeded.



The handy built-in stand has a non-slip surface. Your tablet sits firmly in place while charging or while you're following a recipe on screen.









BEDROOM

LIVING ROOM

OFFICE







Multi-outlet extension for the multimedia area which fits in discreetly



allows you to plug in and power up to 8 devices and to organise your cables. Your multimedia area was never so well organised before! The multi-outlet extension can also protect all your multimedia equipment against lightning strikes thanks to the integrated surge protection.

extension for the TV area

The multi-outlet

CHARACTERISTICS



4 2P+E sockets









2 m cable

Thanks to its high-quality finish and aluminium cover, the multi-outlet extension integrates seamlessly into the furniture and multimedia equipment (TV, sound bar, games console, router, DVD/Blu-ray player, etc).



The multi-outlet extension has an illuminated main switch and surge protection.



Legrand holds an exclusive patent for the Flush socket: the socket recess only moves back when a plug is inserted. This gives you a safe and attractive socket which prevents dust from accumulating.



The multi-outlet extension for the TV area allows you to organise cables discreetly under its aluminium cover.



BEDROOM


LIVING ROOM

OFFICE









The clip-on multioutlet extension allows you to plug in devices that are plugged in permanently and charge mobile products without clogging up your surfaces.

CHARACTERISTICS



4 2P+E sockets














Discreet and attractive, it allows you to plug in up to four 2P+E equipment and two USB Type-A mobile devices.





Thanks to its clip-on system, the multi-outlet extension is suitable for work surfaces up to 63 mm thick.





LIVING ROOM

OFFICE







Charge your smartphone efficiently without plugging in a cable thanks to its wireless charging station or using the USB type-A and USB Type-C sockets.

Compact and convenient multi-outlet extension with its wireless charger



An ideal solution for home or office.



Place your smartphone on the non-slip angled surface, keep an eye on your messages while your smartphone charges wirelessly and in complete safety.

CHARACTERISTICS


















The charging station comes in two finishes so it can blend in seamlessly in your working environment or leisure areas.







DESIGNED WITH TECH

ADDICTS IN MIND

COMPACT,

PRACTICAL, AT YOUR FINGERTIPS



Multifunction multi-outlet extensions

Product	Nb of socket outlets		Cord	USB	SPD ⁽¹⁾ / MCB ⁽²⁾ &	Wireless	Colour					
	2P	2P+E			indicator	charger	○ White	Black	Taupe/ Dark Grey	White/ Dark Grey	O White/ Alu finish	
1) 2	-	2	2 m 3G 1.5 mm²	Type-A + Type-C	-	Yes	-	-	6 945 00	6 945 06	-	
			-	Type-A + Type-C	-	-	-	-	-	-	6 945 04	
	-	3	1 m 3G 1.5 mm²	Type-A + Type-C	-	-	-	-	-	-	6 945 02	
10.11			-	-	-	-	6 945 03	-	-	-	-	
	-	4	1 m 3G 1.5 mm²	-	-	-	6 945 01	-	-	-	-	
	-	3	1.5 m 3G 1.5 mm²	2 Type-A	MCB	-	6 948 10	6 948 11	-	-	-	
	4 (6 A)	4	2 m 3G 1.5 mm²	-	SPD	-	-	6 945 95	-	-	-	
198	4 (2.5 A)	4	2 m 3G 1.5 mm²	-	SPD	-	-	6 945 15	-	-	-	
	-	4	1.5 m 3G 1.5 mm ² (rotating)	2 Type-A	-	-	-	6 948 12	-	-	-	



Multifunction multi-outlet extensions (continued)

	Nb of 2P+E			SPD ⁽¹⁾ & LED	MCB ⁽²⁾ &	Col	our
Product	socket outlets	Cord	USB	indicator	overload indicator	White/ Dark Grey	Black Dark Greg
		Without cord	-	-	-	6 945 43	-
			-	-	-	6 945 27	6 945 28
	3	1.5 m 3G 1.5 mm ²	Type-A + Type-C	Yes	-	6 945 08	6 945 12
		3 m 3G 1.5 mm²	-	-	-	6 945 35	-
		5 m 3G 1.5 mm²	-	-	-	6 945 41	-
		Without cord	-	-	-	6 945 44	6 945 45
			-	-	-	6 945 29	6 945 30
	4	1.5 m 3G 1.5 mm²	-	Yes	-	6 945 07	6 945 1
			-	-	Yes	6 945 25	-
		3 m 3G 1.5 mm²	-	-	-	6 945 36	6 945 3
		Without cord	-	-	-	6 945 46	-
		1.5 m 3G 1.5 mm²	-	-	-	6 945 31	6 945 32
	5		Type-A + Type-C	Yes	-	6 945 10	6 945 14
		3 m 3G 1.5 mm²	-	-	-	6 945 38	-
		5 m 3G 1.5 mm²	-	-	-	6 945 42	-
		Without cord	-	-	-	6 945 47	6 945 48
_		1.5 m 3G 1.5 mm²	-	-	-	6 945 33	6 945 3
A COCCODE	6		-	Yes	-	6 945 09	6 945 10
			-	-	Yes	6 945 26	-
		3 m 3G 1.5 mm²	-	-	-	6 945 39	6 945 40
	4	2 m 3G 1.5 mm²	-	Yes	-	6 945 05	-

^{1:} Surge Protection Device 2: Miniature Circuit Breaker



Multi-outlet plugs and extensions

		socket tlets	Socket	Potating		Colour					
Product	2P	2P+E	outlet orientation	Rotating USB		○ White/Light Grey		/hite/Dark Grey	Black/Dark Grey		Alu finish, Dark Grey
S.	2			-	Type-A +		6 94	5 91 (5 A)	_		-
		-	Side	• • • • • • • • • • • • • • • • • • • •	Type-C	6 945 90 (10 Δ)	0 49	4 01 (12 Á)			
	4			-	-	6 945 90 (10 A) 0 494 00 (16 A)		-	-		-
	2	Front	-	-	6 945 16		-	6 945 1	7	-	
	3		-	-	6 945 18		-	6 945 1	9	-	
		2		Yes	Type-A + Type-C	-	6	945 22	-		6 945 24
0	-		Side	-	-	-	6	945 20	-		6 945 23
		3		Yes	-	-	6	945 21	-		-
ULTI-OUTLET EX	KTENSION	S FOR I	UNIVERSAL U	JSE							
Prod	luet		Nb of 2P+E socket		ord			Col	our		
Proc	luct		outlets	C	ora	○ White/Light 0	erey	● Black/I	Dark Grey	○ White/Soft blue	
			Without cord		6 945 73	6 94		45 74		-	
			3	1.5 m 3G 1.5 mm²		6 945 49	6 94		45 50		6 945 51
				3 m 3G 1.5 mm²		6 945 59		6 94	5 60		-
				5 m 3G 1.5 mm²		6 945 67		6 94	5 68		-
				Without cord		6 945 75		6 94	5 76		-
			4	1.5 m 3G 1.5 mm²		6 945 52		6 94	5 53		6 945 54
			4	3 m 3G 1.5 mm²		6 945 61		6 945 62		-	
0000	13			5 m 3G 1.5 mm²		6 945 69		6 945 70			-
				Without cord		6 945 77		6 945 78		-	
			5	1.5 m 30	3 1.5 mm²	6 945 55		6 945 56		-	
			5	3 m 3G	1.5 mm²	6 945 63		6 945 64		-	
					1.5 mm²	6 945 71			-		-
				Witho	ut cord	6 945 79		6 945 80		-	
3333		<	_		G 1.5 mm²	6 945 57		6 945 58			-
			6	3 m 3G	1.5 mm²	6 945 65		6 94	5 66		-
				5 m 3G	1.5 mm²	_		6 94	5 72		_

Multifunction multi-outlet extensions





6 945 32

For indoor use only 16 A - 230 V - 3680 W MAX

Pack	Cat.Nos	Multi-outlet extensions without cord - with
		switch Equipped with: - flush socket outlets angled 45° (except for one angled 90° for plugging in a bulky transformer without locking out another socket) - 1 On/Off illuminated switch - rotating body To be cabled with a 3G 1.5 mm² cord Can be fixed with screws (not supplied) or cable ties (not supplied)
5	6 945 43	,
5 5		4 x 2P+E ① White/Dark Grey ● Black/Dark Grey
5	6 945 46	5 x 2P+E ● White/Dark Grey
5 5		6 x 2P+E ① White/Dark Grey ● Black/Dark Grey
		Multi-outlet extensions with cord and switch
		Equipped with: - flush socket outlets angled 45° (except for one angled 90° plugging in a bulky transformer without locking out another socket) - 1 On/Off illuminated switch - rotating body Can be fixed with screws (not supplied) or cable ties (not supplied)
5 5		3 x 2P+E - 1.5 m cord ① White/Dark Grey - 3G 1.5 mm² ● Black/Dark Grey - 3G 1.5 mm²
5	6 945 35	3 x 2P+E - 3 m cord ① White/Dark Grey - 3G 1.5 mm ²
5	6 945 41	3 x 2P+E - 5 m cord White/Dark Grey - 3G 1.5 mm ²
5 5		4 x 2P+E - 1.5 m cord ① White/Dark Grey - 3G 1.5 mm² ● Black/Dark Grey - 3G 1.5 mm²
5 5	6 945 36 6 945 37	4 x 2P+E - 3 m cord ① White/Dark Grey - 3G 1.5 mm² ● Black/Dark Grey - 3G 1.5 mm²
5 5	6 945 31 6 945 32	5 x 2P+E - 1.5 m cord ① White/Dark Grey - 3G 1.5 mm² ● Black/Dark Grey - 3G 1.5 mm²
5	6 945 38	5 x 2P+E - 3 m cord ① White/Dark Grey - 3G 1.5 mm ²
5	604540	5 x 2P+E - 5 m cord

MULTI-OUTLET SOLUTIONS

PLUG IN AS YOU WISH, ANYWHERE!

Whether you want to recharge devices or plug in items of equipment, our innovative and ingenious multi-outlet solutions will meet your needs efficiently, anywhere in your home or at work!



TV multi-outlet extension Cat.No 6 945 95


Angled multi-outlet extension with USB ports Cat.No 6 945 02



Charging station with wireless charger and USB ports Cat.No 6 945 00











la legrand

Multifunction multi-outlet extensions (continued)



For indoor use only

	0 V - 3680	W MAX			
Pack	Cat.Nos	Multi-outlet extensions with cord and switch (continued)	Pack	Cat.Nos	Multi-outlet extensions with cord, SPD and USB ports
5 5		6 x 2P+E - 1.5 m cord ① White/Dark Grey - 3G 1.5 mm² ● Black/Dark Grey - 3G 1.5 mm²			Equipped with: - flush socket outlets angled 45° (except for one angled 90° plugging in a bulky transformer without locking out another socket)
5 5		6 x 2P+E - 3 m cord ① White/Dark Grey - 3G 1.5 mm² ② Black/Dark Grey - 3G 1.5 mm²			- 1 On Off illuminated switch - 2 x USB Type-A and USB Type-C ports, 3.0 A - 5.0 V - 15 W MAX. Used for recharging smartphones, tablets and other electronic devices
		Multi-outlet extensions with cord and SPD Equipped with: - flush socket outlets angled 45° (except for one angled 90° plugging in a bulky transformer without locking out another socket) - 1 On/Off illuminated switch - rotating body Can be fixed with screws (not supplied) or cable ties (not supplied) Integrated surge protective device (SPD): protects electronic equipment against lightning strikes Indicator signalling the surge protective device status: - green LED: the multi-outlet extension is protected but functional 4 x 2P+E - 1.5 m cord	5 5 5 5	6 945 12 6 945 10	- rotating body Can be fixed with screws (not supplied) or cable ties (not supplied) Integrated surge protective device (SPD): protects electronic equipment against lightning strikes Indicator signalling the surge protective device status: - green LED: the multi-outlet extension is protected - LED off: the multi-outlet extension is not protected but functional 3 x 2P+E - 1.5 m cord White/Dark Grey - 3G 1.5 mm² Black/Dark Grey - 3G 1.5 mm² White/Dark Grey - 3G 1.5 mm² Black/Dark Grey - 3G 1.5 mm²
5 5		◆ White/Dark Grey - 3G 1.5 mm²◆ Black/Dark Grey - 3G 1.5 mm²	USB	Type-C	standardisation
5 5		6 x 2P+E - 1.5 m cord ① White/Dark Grey - 3G 1.5 mm² ② Black/Dark Grey - 3G 1.5 mm²		oe-C: new nnector (T	miniaturised reversible version of the traditional type-A)
		Multi-outlet extensions with cord, MCB and overload indicator Equipped with: - flush socket outlets angled 45° (except for one		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	4


- flush socket outlets angled 45° (except for one angled 90° plugging in a bulky transformer without locking out another socket)
 1 On/Off illuminated switch

- rotating body
Can be fixed with screws (not supplied) or cable ties (not supplied)

Resettable overload protection (MCB) with LED indicator:

- green LED: normal consumption
- red LED: near maximum charge
- LED off: power off due to an overload. To reset, unplug the device and press the reset button on the side of the multi-outlet extension

xcept for one nsformer without ports, 3.0 A - 5.0 smartphones, olied) or cable ties (SPD): protects iing strikes ective device sion is protected is not protected



The European Commission and major smartphone manufacturers have signed an M.o.U (Memorandum of Understanding) aiming to standardise equipment and use of Type-C connectors 7 leading manufacturers are signatories to the agreement guaranteeing compatibility of their smartphones with USB Type-C chargers: Apple, Samsung, Google, LG, Sony, Lenovo, Motorola Standardication:

- Standardisation:
- simplifies connection for users
- optimises charging performance and ensures compatibility Legrand's new multi-outlet extensions integrate USB Type-A and USB Type-C to cover any scenario depending on the device to be connected

5

Multifunction multi-outlet extensions (continued)



For indoor use only 16 A - 230 V - 3680 W MAX

Pack Cat.Nos Vertical multi-outlet extension with cord, switch and SPD Can be put on the floor to connect and protect all devices Equipped with: - 4 x 2P+E flush socket outlets angled 45° (except for one angled 90° for plugging in a bulky transformer without locking out another socket) - 1 On/Off illuminated switch on top of the multioutlet extension - 3G 1.5 mm² cord (length: 2 m) - rotating body - clip for cable management on top of the multi-outlet extension Integrated surge protective device (SPD): protects electronic equipment against lightning strikes Indicator signalling the surge protective device - green LED: the multi-outlet extension is protected - LED off: the multi-outlet extension is not protected but functional Can be fixed with screws (not supplied) 945 05 White/Dark Grey

MULTI-OUTLET SOLUTIONS

INNOVATION,

SAFETY & EASE, AT ALL TIMES



With the Legrand Flush socket, you have a safe and attractive socket which prevents dust from accumulating. The socket recess only moves back when the plug is inserted.



With surge-protected (SPD) or overload-protected (MCB) solutions, you can safely plug



MULTIPLE CHARGING SOLUTIONS

USB Type-A, USB Type-C or wireless: with Legrand solutions, you can choose one of a number of charging methods, for total flexibility! The advantage of a wireless charging station: no need to plug in.



Multifunction multi-outlet extensions (continued)

Multifunction multi-outlet extensions





6 945 02

For indoor use only

For indoo	r use only	
Pack	Cat.Nos	Multi-outlet extensions for dedicated spaces
3 3		Charging stations with wireless charger and USB ports - for bed corner and workstation 10 A - 230 V - 2300 W MAX Compact charging stations with 5 ports equipped with: - 2 x 2P+E flush socket outlets - wireless charger for 10.0 W Qi-certified smartphones (with non-slip surface and charging indicator). Direct view on screen while charging - USB Type-A and USB Type-C ports: 3.0 A - 5.0 V - 15 W MAX - black 3G 1.5 mm² cord (length: 2 m) Taupe/Dark Grey White/Dark Grey
		TV multi-outlet extensions with cord, switch and
		SPD 16 A - 230 V - 3680 W MAX Special design for perfect integration and cable management in TV corner Equipped with: - 4 x 2P+E (16 A) and 4 x 2P socket outlets - 1 On/Off illuminated switch - 3G 1.5 mm² cord (length: 2 m) Integrated surge protective device (SPD): protects electronic equipment against lightning strikes Indicator signalling the surge protective device status: - green LED: the multi-outlet extension is protected - LED off: the multi-outlet extension is not protected but functional Aluminum (metal) cover allowing the installation of
3	6 945 95	another device on top of the multi-outlet extension ■ Black (2P socket outlets: 6 A)
3		Black (2P socket outlets: 2.5 A)
		Angled multi-outlet extensions 16 A - 230 V - 3680 W MAX Adapted design for perfect integration in kitchen or workstation angle Equipped with: - flush socket outlets angled 45° - cable management at the back - removable part at the back to pass the cable through Solutions without cord: to be cabled with a 3G 1.5 mm² cord
5	6 945 02	1.5 min Cord (3 x 2P+E - White/Alu finish With 1 m white cord 3G 1.5 mm ² Equipped with 2 USB Type-A and USB Type-C
5	6 945 04	ports: 3.0 A - 5.0 V - 15 W MAX 3 x 2P+E - White/Alu finish Without cord Equipped with 2 USB Type-A and USB Type-C
5	6 945 01	ports: 3.0 A - 5.0 V - 15 W MAX O 4 x 2P+E - White With 1 m white pood 3C 1.5 mm ²
5	6 945 03	With 1 m white cord 3G 1.5 mm ² O 4 x 2P+E - White Without cord

Without cord

Wireless power charging

• Products certified QI-WPC*

Low-emission technology compatible with the ICNIRP specifications concerning protecting people against electromagnetic fields

This wireless technology makes it possible to do away with cords and connectors

• Global standard 9

Adopted by the car industry and CHRs (Cafés/Hotels/Restaurants) Incorporated in 100% of Qi-enabled smartphones Average charging time < 2 hrs

Main compatible smartphones



See the full list on www.wirelesspowerconsortium.com

Brand	Range	Smartphone models
Apple	iPhone	12/11/X/8/8+
Samsung	Galaxy	S20 / S10 / S9 / S8 / S7 / S6 (Edge)
LG	G	V40 / V30 / G8 / G7 / G6 / G5 / G4 / G3
Sony	Xperia	Z4v / Z3v / XZ3 / XZ2 / DG 6703

USB Type-C standardisation

 $\ensuremath{\mathsf{USB}}$ Type-C: new miniaturised reversible version of the traditional $\ensuremath{\mathsf{USB}}$ connector (Type-A)



The European Commission and major smartphone manufacturers have signed an M.o.U (Memorandum of Understanding) aiming to standardise equipment and use of Type-C connectors 7 leading manufacturers are signatories to the agreement guaranteeing compatibility of their smartphones with USB Type-C chargers: Apple, Samsung, Google, LG, Sony, Lenovo, Motorola Standardication:

Standardisation:
- simplifies connection for users

- optimises charging performance and ensures compatibility
Legrand's new multi-outlet extensions integrate USB Type-A and
USB Type-C to cover any scenario depending on the device to be connected



Multifunction multi-outlet extensions (continued)

Multifunction multi-outlet extensions






6 948 10

For indoor use only 16 A - 230 V - 3680 W MAX

Pack	Cat.Nos	Multi-outlet extensions for dedicated
		spaces (continued)
1 1		Multi-outlet extensions with tablet support Equipped with: - 3 x 2P+E socket outlets - 2 x USB Type-A inputs (3.9 A Total) - 1 built-in non-slip tablet stand - 1 On/Off illuminated switch with resettable circuit breaker (16 A) - 3G 1.5 mm² cord (length 1.5 m) ○ White ■ Black
		Clip-on multi-outlet extension Equipped with: - 4 x 2P+E socket outlets - 2 x USB Type-A ports (3,4 A Total) - 1 On/Off illuminated switch - rotating 3G 1.5 mm² cord (length 1.5m), can be turned by 90° To be clipped onto a table or a desk (maximum thickness: 63 mm) Allows you to hide power outlets under a desk while
10	6 948 12	leaving USB charging modules accessible ● Black

Clip-on multi-outlet extension Cat.No 6 948 12 Example of implementation

Dimensions (in mm)




TV multi-outlet extension with cord, switch and surge protective device Cat.No 6 945 95

Example of implementation



Dimensions (in mm)



Opening system



Glegrand

Multi-outlet plugs and extensions for universal use















6 945 91 6 945 53



For indoor use only

use only	
Cat.Nos	Multi-outlet plugs - 2P
6 945 90	To plug in a 2P+E wall-mounted socket outlet ① White/Light Grey 10 A - 230 V - 2300 W MAX 4 x 2P 2.5 A side outlets
0 494 00	16 A - 230 V - 3680 W MAX 4 x 2P 6 A side outlets
	Multi-outlet plugs - 2P - with USB chargers
	To plug in a 2P+E wall-mounted socket outlet USB Type-A and USB Type-C ports: 3.0 A - 5.0 V - 15 W MAX Used for recharging smartphones, tablets and other electronic devices Equipped with a smartphone support ■ White/Dark Grey 5 A - 230 V - 1150 W MAX 2 x 2P 2.5 A side outlets 12 A - 230 V - 2760 W MAX 2 x 2P 6 A side outlets
	Multi-outlet plugs - 2P+E
	16 A - 230 V - 3680 W MAX
	2 x 2P+E front outlets ① White/Light Grey ● Black/Dark Grey
	3 x 2P+E front outlets ① White/Light Grey ● Black/Dark Grey
	3 x 2P+E side outlets ① White/Dark Grey ① Alu finish/Dark Grey
6 945 21	3 x 2P+E side outlets - rotating White/Dark Grey
	2 x 2P+E side outlets - rotating - USB ports USB Type-A and USB Type-C ports: 3.0 A - 5.0 V - 15 W MAX White/Dark Grey Alu finish/Dark Grey
	Multi-outlet extensions without cord
	16 A - 230 V - 3680 W MAX Equipped with socket outlets angled 45° (except for one angled 90° for plugging in a bulky transformer without locking out another socket) Extra-flat: can be slid underneath furniture To be cabled with a 3G 1.5 mm² cord
	3 x 2P+E ① White/Light Grey ● Black/Dark Grey
	● Black/Dark Grey
	3
	6 x 2P+E ① White/Light Grey ● Black/Dark Grey
	Cat.Nos 6 945 90 0 494 00 6 945 91 0 494 01 6 945 16 6 945 17 6 945 18 6 945 20 6 945 21 6 945 21 6 945 22 6 945 24 6 945 75 6 945 76 6 945 77 6 945 78 6 945 79

Pack	Cat.Nos	Multi-outlet extensions with cord
		16 A - 230 V - 3680 W MAX Equipped with socket outlets angled 45° (except for one angled 90° for plugging in a bulky transformer without locking out another socket) Extra-flat: can be slid underneath furniture
		3 x 2P+E - 1.5 m cord
10		White/Light Grey - 3G 1.5 mm ²
10 10		Black/Dark Grey - 3G 1.5 mm ²
10	6 945 51	White/Soft blue - 3G 1.5 mm ²
10	0.045.50	3 x 2P+E - 3 m cord
10	6 945 59	White/Light Grey - 3G 1.5 mm²Black/Dark Grey - 3G 1.5 mm²
10	0 943 00	-
10	C 04F C7	3 x 2P+E - 5 m cord White/Light Grey - 3G 1.5 mm ²
10	6 945 67	Black/Dark Grey - 3G 1.5 mm²
10	0 343 00	-
10	6 0/5 52	4 x 2P+E - 1.5 m cord White/Light Grey - 3G 1.5 mm ²
10		Black/Dark Grey - 3G 1.5 mm²
10		White/Soft blue - 3G 1.5 mm ²
		4 x 2P+E - 3 m cord
10	6 945 61	
10		Black/Dark Grey - 3G 1.5 mm²
		4 x 2P+E - 5 m cord
10	6 945 69	White/Light Grey - 3G 1.5 mm²
10	6 945 70	Black/Dark Grey - 3G 1.5 mm²
		5 x 2P+E - 1.5 m cord
10	6 945 55	White/Light Grey - 3G 1.5 mm²
10	6 945 56	Black/Dark Grey - 3G 1.5 mm²
		5 x 2P+E - 3 m cord
10		White/Light Grey - 3G 1.5 mm ²
10	6 945 64	Black/Dark Grey - 3G 1.5 mm ²
		5 x 2P+E - 5 m cord
10	6 945 71	,
40	004555	6 x 2P+E - 1.5 m cord
10		White/Light Grey - 3G 1.5 mm ²
10	6 945 58	Black/Dark Grey - 3G 1.5 mm²
10	C DAE CE	6 x 2P+E - 3 m cord
10		
10	0 943 00	•
10	6 9/15 72	6 x 2P+E - 5 m cord ■ Black/Dark Grey - 3G 1.5 mm ²
.0	0 0 70 12	Diagnost Dark Groy - 50 1.5 mm



Dlegrand

Head office

and International Department 87045 Limoges Cedex - France Tel. : + 33 (0) 5 55 06 87 87 Fax: + 33 (0) 5 55 06 74 55